

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	84	(assign\$3 allocat \$3)with(OFD M with(ton symbol))and (remain\$3 leftover)with(user subscriber)and (370/329-338, 370/229, 370/437, 370/347-350, 370/469-473, 455/450-464). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 22:33
S3	13805	(initial\$5 near2 assign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 11:27
S4	1147703	(initial\$5 near2 assign\$3)woth(ton \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 11:27
S5	25	(initial\$5 near2 assign\$3)with(ton \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 11:27
S6	99	(initial\$5 pre) near2 (assign\$3) with(ton\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:22
S7	16	(initial\$5 pre) near2 (assign\$3) with(ton\$3)and (OFD M)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:22

S8	23	(initial\$5 pre temporar\$6) near2 (assign\$3) with(ton\$3)and (OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:30
S9	68	(initial\$5 pre temporar\$6) near2 (assign\$3) with(ton\$3 segment\$3 symbo \$3)and(OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:33
S11	36	(permanent\$6 fix \$3) near2 (assign \$3)with(ton\$3 segment\$3 symbo \$3)and(OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:39
S13	93	(permanent\$6) near2 (assign\$3) and(ton\$3 segment\$3 symbo \$3)and(OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:44
S14	11	(permanent\$6) near2 (assign\$3) and(ton\$3 segment\$3 symbo \$3)and(OFDM)and (pre) near2 (assign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:44
S15	236	(iterative near2 schedul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:47
S20	11	(iterative with schedul\$3)and (remain\$3 same user\$3)and (OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:50
S21	36	(select\$3 near2 active near2 user) and(OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 12:53
S22	73	(select\$3 with active near2 user) and(OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:28

S23	12	(select\$3 with active near2 user) and (OFDM) and (remain\$3 near2 user\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:28
S25	13212	(pre near2 assign \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:39
S26	283	(pre near2 assign \$3) and (permanent\$3 near2 assign\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:40
S27	11	(pre near2 assign \$3) and (permanent\$3 near2 assign\$3) and (OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:40
S28	175	(pre near2 assign \$3) and (permanent\$3 near2 assign\$3) and (OFDM tone \$3 symbol\$3 segment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:41
S29	175	(pre near2 assign \$3) and (permanent\$3 near2 assign\$3) and (tone\$3 symbol\$3 segment\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:41
S31	16	(pre with assign \$3) and (permanent\$3 with assign\$3) and (tone\$3 symbol \$3 segment\$3) and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:43

S32	509	(pre temporar\$3 initial\$6) with (assign\$3 allocat \$3)and (permanent\$3 fix \$3) with (assign \$3 allocat\$3)and ( tone\$3 symbol \$3 segment\$3) and(OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:45
S33	119	(pre temporar\$3 initial\$6) with (assign\$3 allocat \$3)and (permanent\$3 fix \$3) with (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:45
S34	113	(pre temporar\$3 initial\$6) with (assign\$3 allocat \$3)and (permanent\$3 fix \$3) with (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)and (user\$3 subscriber \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:46

S35	53	(pre temporar\$3 initial\$6) with (assign\$3 allocat \$3)and (permanent\$3 fix \$3) with (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)and (user\$3 subscriber \$3)same(remain \$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:47
S36	25	(pre temporar\$3 initial\$6) with (assign\$3 allocat \$3)and (permanent\$3 fix \$3) with (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)and (user\$3 subscriber \$3)same (remaining)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:49
S40	5	(pre temporar\$3 initial\$6) with (assign\$3 allocat \$3)and (permanent\$3 fix \$3) with (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)and (user\$3 subscriber \$3)same	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:54

		(remaining near2 user\$3)and(active current) with ( user\$3)				
S41	5	(pre temporar\$3 initial\$6) with (assign\$3 allocat \$3)and (permanent\$3 fix \$3) with (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)and (user\$3 subscriber \$3)same (remaining left\$6) with( user\$3 subscrib\$5)and (active) with( user \$3 subscrib\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:57
S42	15	(pre temporar\$3 initial\$6) same (assign\$3 allocat \$3)and (permanent\$3 fix \$3) same (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)and (user\$3 subscriber \$3)same (remaining left\$6) with( user\$3 subscrib\$5)and (active) with( user \$3 subscrib\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 13:58

S43	21	(pre temporar\$3 initial\$6) same (assign\$3 allocat \$3)and (permanent\$3 fix \$3) same (assign \$3 allocat\$3) same (tone\$3 symbol\$3 segment\$3)and (OFDM orthogonal near2 frequency near2 division near2 multiplex\$3)and (user\$3 subscriber \$3)same (remaining behin \$3 extra\$3 leftover\$3)with ( user\$3 subscrib \$5)and(active) with( user\$3 subscrib\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 14:07
S47	13	(assign\$3 allocat \$3) near2( ton\$3 symbol)same (remain\$3 near2 user\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 15:41
S48	9	(assign\$3 allocat \$3) near2( ton\$3 symbol)same (remaining near2 user\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 15:42
S49	9	(assign\$3 allocat \$3) near2( ton\$3 symbol)same (remaining) near2 (user\$3 subscriber\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 15:43
S50	54	(assign\$3 allocat \$3) near2( ton\$3 symbol number sequence segment)same (remaining) near2 (user\$3 subscriber\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 15:44

S51	8	(assign\$3 allocat \$3) near2( ton\$3 symbol number sequence segment)same (remaining) near2 (user\$3 subscriber\$3)and (OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 15:45
S52	18	(assign\$3 allocat \$3) with( ton\$3 symbol number sequence segment)same (remaining) near2 (user\$3 subscriber\$3)and (OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 16:38
S53	134	(assign\$3 allocat \$3) with( ton\$3 symbol number sequence segment)same (remaining) with (user\$3 subscriber \$3)and(OFDM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 16:38
S55	226	(assign\$3 with (OFDM with tone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 16:47
S56	72	(assign\$3 with (OFDM adj tone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 16:48
S57	133	(assign\$3 allocat \$3) with (OFDM adj tone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 16:52
S58	59	(assign\$3 allocat \$3) with (OFDM adj tone) same (user subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:03
S59	59	(assign\$3 allocat \$3) with (OFDM adj tone) same (user subscriber custom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:09



S60	16	(assign\$3 allocat \$3) with (OFDM adj tone) and (remaining)with (user subscriber custom\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:10
S61	14	(OFDM adj tone) and(remaining near2 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:16
S62	25	(OFDM adj tone) and(remaining near5 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:18
S63	30	(OFDM adj tone) and(remaining other) near5 (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:19
S64	2	(OFDM adj tone) same(remaining other) near5 (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:20
S65	391	( tone)same (remaining other) near5 (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:20
S66	10	( assign\$3 near5 tone)same (remaining other) near5 (user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 17:20
S67	233	(assign\$3 allocat \$3)with(OFDM with(tone symbol))and (remain\$3 leftover)with(user subscriber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 18:08

S82	69	(assign\$3 allocat \$3)with(OFDM with(tone symbol))and (remain\$3 leftover)with(user subscriber)and (370/329-338, 370/229, 370/437, 370/347-350, 370/469-473). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/06/18 22:27
-----	----	--	---	----	----	---------------------

**6/18/2011 10:34:32 PM****C:\Documents and Settings\izaidi\My Documents\EAST\Workspaces\10599103(5).wsp**